

## Especificaciones del Conductor multi núcleo H05VVC4V5-K

| Parte No.                   | Núcleos<br>sección mm <sup>2</sup> × | Grosor<br>mm | Grosor<br>interno de<br>la funda<br>mm | Grosor<br>externo de<br>la funda<br>mm | O.D.<br>mm | Peso del cobre<br>kg/km | Peso del cable<br>kg/km |
|-----------------------------|--------------------------------------|--------------|----------------------------------------|----------------------------------------|------------|-------------------------|-------------------------|
| 1002H05VVC4V5-K00<br>20005  | 2 × 0.50                             | 0.6          | 0.7                                    | 0.9                                    | 7.7        | 35                      | 105                     |
| 1002H05VVC4V5-K00<br>200075 | 2 × 0.75                             | 0.6          | 0.7                                    | 0.9                                    | 8          | 39                      | 115                     |
| 1002H05VVC4V5-K00<br>2001   | 2 × 1.0                              | 0.6          | 0.7                                    | 0.9                                    | 8.2        | 44                      | 125                     |
| 1002H05VVC4V5-K00<br>20015  | 2 × 1.50                             | 0.7          | 0.7                                    | 1.0                                    | 9.3        | 58                      | 160                     |
| 1002H05VVC4V5-K00<br>20025  | 2 × 2.50                             | 0.8          | 0.7                                    | 1.1                                    | 10.7       | 82                      | 215                     |
| 1002H05VVC4V5-K00<br>30005  | 3 × 0.50                             | 0.6          | 0.7                                    | 0.9                                    | 8          | 40                      | 115                     |
| 1002H05VVC4V5-K00<br>300075 | 3 × 0.75                             | 0.6          | 0.7                                    | 0.9                                    | 8.3        | 47                      | 125                     |
| 1002H05VVC4V5-K00<br>3001   | 3 × 1.0                              | 0.6          | 0.7                                    | 1.0                                    | 8.8        | 54                      | 145                     |
| 1002H05VVC4V5-K00<br>30015  | 3 × 1.50                             | 0.7          | 0.7                                    | 1.0                                    | 9.7        | 73                      | 185                     |
| 1002H05VVC4V5-K00<br>30025  | 3 × 2.50                             | 0.8          | 0.7                                    | 1.1                                    | 11.3       | 106                     | 250                     |
| 1002H05VVC4V5-K00<br>40005  | 4 × 0.50                             | 0.6          | 0.7                                    | 0.9                                    | 8.5        | 44                      | 125                     |
| 1002H05VVC4V5-K00<br>400075 | 4 × 0.75                             | 0.6          | 0.7                                    | 1.0                                    | 9.1        | 58                      | 155                     |
| 1002H05VVC4V5-K00<br>4001   | 4 × 1.0                              | 0.6          | 0.7                                    | 1.0                                    | 9.4        | 68                      | 170                     |
| 1002H05VVC4V5-K00<br>40015  | 4 × 1.50                             | 0.7          | 0.7                                    | 1.1                                    | 10.7       | 93                      | 220                     |
| 1002H05VVC4V5-K00<br>40025  | 4 × 2.50                             | 0.8          | 0.8                                    | 1.2                                    | 12.6       | 135                     | 305                     |
| 1002H05VVC4V5-K00<br>50005  | 5 × 0.50                             | 0.6          | 0.7                                    | 1.0                                    | 9.3        | 55                      | 155                     |
| 1002H05VVC4V5-K00<br>500075 | 5 × 0.75                             | 0.6          | 0.7                                    | 1.1                                    | 9.7        | 66                      | 175                     |
| 1002H05VVC4V5-K00<br>5001   | 5 × 1.0                              | 0.6          | 0.7                                    | 1.1                                    | 10.3       | 78                      | 200                     |
| 1002H05VVC4V5-K00<br>50015  | 5 × 1.50                             | 0.7          | 0.8                                    | 1.2                                    | 11.8       | 106                     | 265                     |

|                             |           |     |     |     |      |     |      |
|-----------------------------|-----------|-----|-----|-----|------|-----|------|
| 1002H05VVC4V5-K00<br>50025  | 5 × 2.50  | 0.8 | 0.8 | 1.3 | 13.9 | 181 | 385  |
| 1002H05VVC4V5-K00<br>70005  | 7 × 0.50  | 0.6 | 0.7 | 1.1 | 10.8 | 69  | 205  |
| 1002H05VVC4V5-K00<br>700075 | 7 × 0.75  | 0.6 | 0.7 | 1.2 | 11.5 | 84  | 250  |
| 1002H05VVC4V5-K00<br>7001   | 7 × 1.0   | 0.6 | 0.8 | 1.2 | 12.2 | 107 | 275  |
| 1002H05VVC4V5-K00<br>70015  | 7 × 1.50  | 0.7 | 0.8 | 1.3 | 14.1 | 162 | 395  |
| 1002H05VVC4V5-K00<br>70025  | 7 × 2.50  | 0.8 | 0.8 | 1.5 | 16.5 | 238 | 525  |
| 1002H05VVC4V5-K01<br>20005  | 12 × 0.50 | 0.6 | 0.8 | 1.3 | 13.3 | 98  | 285  |
| 1002H05VVC4V5-K01<br>200075 | 12 × 0.75 | 0.6 | 0.8 | 1.3 | 13.9 | 125 | 330  |
| 1002H05VVC4V5-K01<br>2001   | 12 × 1.0  | 0.6 | 0.8 | 1.4 | 14.7 | 176 | 400  |
| 1002H05VVC4V5-K01<br>20015  | 12 × 1.50 | 0.7 | 0.8 | 1.5 | 16.7 | 243 | 525  |
| 1002H05VVC4V5-K01<br>20025  | 12 × 2.50 | 0.8 | 0.8 | 1.7 | 19.9 | 367 | 745  |
| 1002H05VVC4V5-K01<br>80005  | 18 × 0.50 | 0.6 | 0.9 | 1.3 | 18.6 | 147 | 385  |
| 1002H05VVC4V5-K01<br>800075 | 18 × 0.75 | 0.6 | 0.8 | 1.5 | 19.9 | 200 | 475  |
| 1002H05VVC4V5-K01<br>8001   | 18 × 1.0  | 0.6 | 0.8 | 1.5 | 20.8 | 243 | 525  |
| 1002H05VVC4V5-K01<br>80015  | 18 × 1.50 | 0.7 | 0.8 | 1.7 | 24.1 | 338 | 720  |
| 1002H05VVC4V5-K01<br>80025  | 18 × 2.50 | 0.8 | 0.9 | 2.0 | 28.5 | 555 | 1075 |
| 1002H05VVC4V5-K02<br>50005  | 25 × 0.50 | 0.6 | 0.8 | 1.6 | 22.1 | 199 | 505  |
| 1002H05VVC4V5-K02<br>500075 | 25 × 0.75 | 0.6 | 0.9 | 1.7 | 23.7 | 273 | 625  |
| 1002H05VVC4V5-K02<br>5001   | 25 × 1.0  | 0.6 | 0.9 | 1.7 | 24.7 | 351 | 723  |
| 1002H05VVC4V5-K02<br>50015  | 25 × 1.50 | 0.7 | 0.9 | 2.0 | 28.6 | 494 | 990  |
| 1002H05VVC4V5-K02<br>50025  | 25 × 2.50 | 0.8 | 1.0 | 2.3 | 34.5 | 792 | 1440 |
| 1002H05VVC4V5-K03<br>60005  | 36 × 0.50 | 0.6 | 0.9 | 1.7 | 24.7 | 317 | 620  |

|                             |           |     |     |     |      |      |      |
|-----------------------------|-----------|-----|-----|-----|------|------|------|
| 1002H05VVC4V5-K03<br>600075 | 36 × 0.75 | 0.6 | 0.9 | 1.8 | 26.2 | 358  | 889  |
| 1002H05VVC4V5-K03<br>6001   | 36 × 1.0  | 0.6 | 0.9 | 1.9 | 27.6 | 438  | 910  |
| 1002H05VVC4V5-K03<br>60015  | 36 × 1.50 | 0.7 | 1.0 | 2.2 | 32.5 | 662  | 1305 |
| 1002H05VVC4V5-K03<br>60025  | 36 × 2.50 | 0.8 | 1.0 | 2.4 | 38.5 | 1028 | 1850 |
| 1002H05VVC4V5-K04<br>80005  | 48 × 0.50 | 0.6 | 0.9 | 1.9 | 28.3 | 353  | 845  |
| 1002H05VVC4V5-K04<br>800075 | 48 × 0.75 | 0.6 | 1.0 | 2.1 | 30.4 | 490  | 1060 |
| 1002H05VVC4V5-K04<br>8001   | 48 × 1.0  | 0.6 | 1.0 | 2.1 | 31.9 | 604  | 1210 |
| 1002H05VVC4V5-K04<br>80015  | 48 × 1.50 | 0.7 | 1.1 | 2.4 | 37   | 855  | 1665 |
| 1002H05VVC4V5-K04<br>80025  | 48 × 2.50 | 0.8 | 1.2 | 2.4 | 43.7 | 1389 | 2390 |
| 1002H05VVC4V5-K06<br>00005  | 60 × 0.50 | 0.6 | 1.0 | 2.1 | 31.1 | 432  | 1045 |
| 1002H05VVC4V5-K06<br>000075 | 60 × 0.75 | 0.6 | 1.0 | 2.3 | 329  | 576  | 1265 |
| 1002H05VVC4V5-K06<br>0001   | 60 × 1.0  | 0.6 | 1.0 | 2.3 | 34.7 | 720  | 1455 |
| 1002H05VVC4V5-K06<br>00015  | 60 × 1.50 | 0.7 | 1.1 | 2.4 | 39.9 | 1050 | 1990 |
| 1002H05VVC4V5-K06<br>00025  | 60 × 2.50 | 0.8 | 1.2 | 2.4 | 47.2 | 1706 | 2870 |